W

Notice of Allowability	Application No.	Applicant(s)	
	10/642,292	AYA ET AL.	
	Examiner	Art Unit	
	Elizabeth A. Rielley	2879	<i>; ;</i>
The MAILING DATE of this communication appears on the cover sheet with the correspondence address All claims being allowable, PROSECUTION ON THE MERITS IS (OR REMAINS) CLOSED in this application. If not included herewith (or previously mailed), a Notice of Allowance (PTOL-85) or other appropriate communication will be mailed in due course. THIS NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIGHTS. This application is subject to withdrawal from issue at the initiative of the Office or upon petition by the applicant. See 37 CFR 1.313 and MPEP 1308.			
1. This communication is responsive to <u>6/9/06</u> .			
2. The allowed claim(s) is/are <u>1-9</u> .			
<ul> <li>3.</li></ul>			
<ul> <li>3. Copies of the certified copies of the priority documents have been received in this national stage application from the International Bureau (PCT Rule 17.2(a)).</li> <li>* Certified copies not received:</li> </ul>			
Applicant has THREE MONTHS FROM THE "MAILING DATE" of this communication to file a reply complying with the requirements noted below. Failure to timely comply will result in ABANDONMENT of this application.  THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.			
4. A SUBSTITUTE OATH OR DECLARATION must be submitted. Note the attached EXAMINER'S AMENDMENT or NOTICE OF INFORMAL PATENT APPLICATION (PTO-152) which gives reason(s) why the oath or declaration is deficient.			
<ul> <li>5.  CORRECTED DRAWINGS (as "replacement sheets") must be submitted.</li> <li>(a)  including changes required by the Notice of Draftsperson's Patent Drawing Review (PTO-948) attached</li> <li>1)  hereto or 2)  to Paper No./Mail Date</li> <li>(b)  including changes required by the attached Examiner's Amendment / Comment or in the Office action of Paper No./Mail Date</li> </ul>			
Identifying indicia such as the application number (see 37 CFR 1.84(c)) should be written on the drawings in the front (not the back) of each sheet. Replacement sheet(s) should be labeled as such in the header according to 37 CFR 1.121(d).			
6. DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL.			
Attachment(s)  1. ☐ Notice of References Cited (PTO-892)  2. ☐ Notice of Draftperson's Patent Drawing Review (PTO-948)  3. ☐ Information Disclosure Statements (PTO-1449 or PTO/SB/08 Paper No./Mail Date  4. ☐ Examiner's Comment Regarding Requirement for Deposit of Biological Material	5. ☐ Notice of Informal Pa 6. ☐ Interview Summary (I Paper No./Mail Date 8), 7. ☐ Examiner's Amendment 8. ☑ Examiner's Statemen	PTO-413),  ent/Comment	
	9.		

#### **DETAILED ACTION**

#### Continued Examination Under 37 CFR 1.114

A request for continued examination under 37 CFR 1.114, including the fee set forth in 37 CFR 1.17(e), was filed in this application after final rejection. Since this application is eligible for continued examination under 37 CFR 1.114, and the fee set forth in 37 CFR 1.17(e) has been timely paid, the finality of the previous Office action has been withdrawn pursuant to 37 CFR 1.114. Applicant's submission filed on 6/9/06 has been entered.

# Response to Amendment

Amendment filed 4/24/06 has been entered and considered by the Examiner. Currently, claims 1-9 are pending in the instant application.

# Allowable Subject Matter

Claims 1-9 are allowed.

The following is an examiner's statement of reasons for allowance:

Regarding claim 1, the reference of the Prior Art of record fails to teach of suggest the combination of the limitations as set forth in claim 1, and specifically comprising the limitation a method for manufacturing a discharge tube having a glass tube into which rare gas is put, a glass bead for sealing

Art Unit: 2879

an end of said glass tube, and an electrode lead to be fixed to said glass bead, said method comprising the steps of: applying heat to only a predetermined adhesion area of the electrode lead by use of a heat application device to oxidize only a surface of a predetermined adhesion area of said electrode lead; and fixing said glass bead to said adhesion area of said electrode lead. In the remarks filed 4/24/06, the persuasive argument is found on page 5, the second and third paragraphs.

Regarding claims 2-9, claim2-9 are allowable for the reasons given in claim 1 due to their dependency status from claim 1.

Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."

### Conclusion

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Elizabeth A. Rielley whose telephone number is 571-272-2117. The examiner can normally be reached on Monday - Friday 7:30 - 4:00.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor,

Nimeshkumar Patel can be reached on 571-272-2457. The fax phone number for the organization where
this application or proceeding is assigned is 703-872-9306.

Application/Control Number: 10/642,292

Art Unit: 2879

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

Elizabeth Rielley

Examiner
Art Unit 2879

MÁRICELI SÁNTIAGO PRIMARY EXAMINER Page 4